



FLOOD HAZARD PERMIT

Application is hereby made for a FLOOD HAZARD PERMIT as required by the Flood Damage Prevention Ordinance (Resolution) effective December 16, 2008 of the Union County for the development in an identified flood hazard area. All activities shall be completed in accordance with the requirements of said Ordinance (Resolution). The development to be performed is described below and in attachments hereto. The applicant understands and agrees that:

- this permit is issued on the conditions and facts described;
- any permit may be repealed if conditions or facts change;
- permit void if the activity has not begun within 180 days of the permit issuance date.

Owner Name: <u>Union County</u>	Builder: _____
Address: <u>233 West Sixth Street</u>	Address: _____
City, Zip: <u>Marysville, OH 43040</u>	City, Zip: _____
Phone: <u>937-645-3018</u>	Phone: _____

DESCRIPTION OF WORK

1. Location of proposed development site/address:
CR 194 (Leeper-Perkins Road) over Blues Creek (east of White Stone Road)
 Legal Description: _____

2. Kind of development proposed:

<input type="checkbox"/> new building	<input type="checkbox"/> existing structure	<input type="checkbox"/> filling/grading
<input type="checkbox"/> residential	<input type="checkbox"/> alteration	<input type="checkbox"/> mining/dredging
<input type="checkbox"/> non-residential	<input type="checkbox"/> addition	<input type="checkbox"/> water course alteration
<input type="checkbox"/> manufactured home install	<input type="checkbox"/> accessory	
<input type="checkbox"/> materials storage	<input checked="" type="checkbox"/> other	

Describe "other": bridge replacement

3. If the proposed construction is an alteration, addition or improvement to an existing structure, indicate the cost of the proposed construction \$ n/a
 What is the estimated market value of the existing structure \$ n/a

Note: *An existing structure must comply with the flood protection standards if it is substantially improved (an improvement equal to or greater than 50% of the market value of the structure). FEMA maintains that the "substantial improvement" definition applies to existing structures only and that once a structure meets the definition of "new construction" any further improvements to that structure must meet "new construction" requirements. For floodplain management purposes, "new construction" means structures for which "start of construction" began on or after the initial effective date of the Flood Insurance Rate Map.*

4. Does the proposed development involve a subdivision or other development containing at least 50 lots or 5 acres (whichever is less)? Yes No

Note: *If yes, base flood elevation data is required from applicant if these have not been provided by FEMA.*

I AGREE THAT ALL STATEMENTS IN AND ATTACHMENTS TO THIS APPLICATION ARE A TRUE DESCRIPTION OF THE EXISTING PROPERTY AND THE PROPOSED DEVELOPMENT ACTIVITY. I UNDERSTAND THE DEVELOPMENT REQUIREMENTS FOR SPECIAL FLOOD HAZARD AREA ACTIVITIES PER THE APPROPRIATE ORDINANCE (RESOLUTION) AND AGREE TO ABIDE THERETO.

Date: 2/8/22

Applicant's Signature: 

ADMINISTRATIVE

Note: *The following is to be completed by the local floodplain administrator. All references to elevations are in feet man sea level (m.s.l.).*

5. Is the proposed development located in an identified floodway; a flood hazard area where base flood elevations exist with no identified floodway; an area identified as approximate flood hazard?

Note: *Floodway development must demonstrate through hydrologic and hydraulic analysis, performed in accordance with standard engineering practice that no increase in base flood elevation will result during occurrence of the base flood discharge. If base flood elevations exist with no floodway delineation, a hydrologic and hydraulic analysis is required to demonstrate not more than one foot increase at any point to the water surface elevation of the base flood.*

6. Structure will comply with local flood damage prevention standards by the following method:
 Methods, materials, utilities designed/constructed to minimize flood damage
 Anchoring (including manufactured homes) to prevent flotation and lateral movement
 Fill added to construction site.

Top of elevation must be feet m.s.l.

- Floodproofing (nonresidential only) in accordance with ordinance criteria
 Structure elevated on piers, piles or columns

7. Base flood elevation (100-year) at proposed site feet m.s.l.

Data Source:

Map effective date

8. Does the structure contain a basement; enclosed area used only for parking, access or storage, other than basement, below the lowest floor? Yes or No
9. The certified as-built elevation of the structure's lowest floor is feet m.s.l.
10. The certified as-built flood proofed elevation of the structure is feet m.s.l.

Note: *Certificates of a registered engineer or land surveyor documenting these elevations are necessary if elevations are provided by applicant.*

11. The proposed development is in compliance with applicable floodplain standards.

PERMIT ISSUED ON

12. The proposed development is NOT in compliance with applicable floodplain standards.

PERMIT DENIED ON

Note: *All structures must be built with the lowest floor, including the basement, elevated or floodproofed to or above the base flood elevation (100-year) unless a variance has been granted.*

13. The proposed development is EXEMPT from the floodplain standards per Section of the Flood Damage Prevention Ordinance (Resolution) No.

Date: 2/23/22

Administrator's Signature: 

As-built's Required