



**County Engineer
Environmental Engineer**
233 W. Sixth Street
Marysville, Ohio 43040
P 937. 645. 3021
F 937. 645. 3161

www.unioncountyohio.gov/engineer

Building Department
233 W. Sixth Street
Marysville, Ohio 43040
P 937. 645. 3018

Marysville Operations Facility
16400 County Home Road
Marysville, Ohio 43040
P 937. 645. 3017
F 937. 645. 3111

Richwood Outpost
190 Beatty Avenue
Richwood, Ohio 43344

Public Service with integrity

ADDENDUM #1

FROM: Union County Engineers Office

DATE: June 8, 2026

RE: **2026 Union County Hot Mix Resurfacing Project**

PAGES: 1

This addendum supplements and amends the original Drawings and Specification issued and shall be taken into account in preparing proposals, and shall become a part of the Contract Documents.

1. Addition of Part S – Hyland Croy Road (Southern Segment) (0.60 mile)
2. Addition of Part T – Hyland Croy Road (Northern Segment) (0.37mile)
3. Proposal documents pages 6.6-6.9
4. The entire revised proposal has been included as an attachment to this addendum.
5. Reference page 3.1: Proposals must be received by ~~9:30 A.M. on Wednesday, June 10th, 2026~~, **9:30 A.M. on Wednesday, June 17th, 2026**, in the office of the Board of Commissioners of Union County located in the County Office Building, 233 W. Sixth Street, Marysville, Ohio 43040. The proposals will be opened and read aloud immediately thereafter.
6. Reference page 3.1: The engineer's estimate for this project is ~~\$877,253.00~~ **\$1,327,253.00**

Please note and sign the bottom portion of 6.9 of the bid packet proposal acknowledging that this Addendum was received.

ADDENDUM #1

INSTRUCTIONS FOR PROPOSAL

2026 Union County Hot Mix Resurfacing Program

For your convenience, the bid proposal Excel spreadsheet is available on Union County's website at:

www.unioncountyohio.gov/Engineer

Under Bid Info

Click on proposal sheet and complete the column titled "unit price" and the pre-filled and protected formulas will calculate the totals for you.

If you prefer to calculate the proposal manually, both options will be accepted.

Print the completed proposal and send it with your bid packet to the Union County Commissioners by **9:30 a.m., Wednesday, June 17, 2026.**

ADDENDUM #1

PROPOSAL

Date: _____

TO: Board of Commissioners, Union County, Ohio
 PROJECT: 2026 UNION COUNTY HOT MIX RESURFACING PROGRAM

COMPANY NAME: _____

The undersigned, having full knowledge of the site(s) of the Project, the specifications applicable to the Project, and the conditions of this Proposal hereby agrees to furnish all services, labor, materials and equipment necessary to complete the Project in accordance with the Detailed Specifications, within the time specified for completion and to accept payment in accordance with the unit prices stated below as full compensation for all furnished services, labor, materials and equipment.

Ref No.	Item	Description	Unit Quantities	Unit Desc.	Unit Price Bid	Total Bid Amount
PART A - George Street (0.314 mile) - Village of Richwood						
1	202	Wearing Course Removed (Butt Joints)	63	SQ YD		
3	407	Non-Tracking Tack Coat	345	GAL		
4	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	175	TON		
5	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	291	TON		
6	624	Mobilization	1	LS		
7	614	Maintaining Traffic	1	LS		
8	690 Special	Mailbox, Removed and Reset, As Per Plan	5	EACH		
		SUB-TOTAL PART A				
PART B - Edgewood Drive (0.162 mile) - Village of Richwood						
9	202	Wearing Course Removed (Butt Joints)	34	SQ YD		
10	254	Pavement Planing (1.25"), As Per Plan	1,480	SQ YD		
11	407	Non-Tracking Tack Coat	182	GAL		
12	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	85	TON		
13	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	142	TON		
14	624	Mobilization	1	LS		
15	614	Maintaining Traffic	1	LS		
16	690 Special	Mailbox, Removed and Reset, As Per Plan	32	EACH		
		SUB-TOTAL PART B				
PART C - West Blagrove Street (0.071 mile) - Village of Richwood						
17	202	Wearing Course Removed (Butt Joints)	100	SQ YD		
18	254	Pavement Planing (1.25"), As Per Plan	583	SQ YD		
19	407	Non-Tracking Tack Coat	141	GAL		
20	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	85	TON		
21	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	142	TON		
22	642	Traffic Paint, Parking Lot Stall Marking, Type 1	955	FT		
23	642	Traffic Paint, Centerline, Type 1	0.05	MILE		
24	614	Temporary Centerline Class 2	0.11	MILE		
25	642	Traffic Paint, Stop Line, Type 1	66	FT		
26	642	Traffic Paint, Crosswalk Line, 12", Type 1	248	FT		
27	624	Mobilization	1	LS		
	614	Maintaining Traffic	1	LS		
		SUB-TOTAL PART C				

PART K - TR124A, Greenwood Drive (0.115 mile) - Dover Township				
28	202	Wearing Course Removed (Butt Joints)	75	SQ YD
29	407	Non-Tracking Tack Coat	106	GAL
30	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	58	TON
31	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	97	TON
32	624	Mobilization	1	LS
33	614	Maintaining Traffic	1	LS
SUB-TOTAL PART K				
PART L - TR124B, Meadowbrook Drive (0.223 mile) - Dover Township				
34	202	Wearing Course Removed (Butt Joints)	30	SQ YD
35	407	Non-Tracking Tack Coat	270	GAL
36	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	135	TON
37	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	225	TON
38	624	Mobilization	1	LS
39	614	Maintaining Traffic	1	LS
SUB-TOTAL PART L				
PART M - 124C, Valleyview Drive (0.328 mile) - Dover Township				
40	202	Wearing Course Removed (Butt Joints)	30	SQ YD
41	407	Non-Tracking Tack Coat	307	GAL
42	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	169	TON
43	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	281	TON
44	624	Mobilization	1	LS
45	614	Maintaining Traffic	1	LS
SUB-TOTAL PART M				
PART N - TR 28B, Santa Barbara Drive (0.57 mile) - Jerome Township				
46	202	Wearing Course Removed (Butt Joints)	250	SQ YD
47	254	Pavement Planing (1.50"), As Per Plan	4,680	SQ YD
48	407	Non-Tracking Tack Coat	1,720	GAL
49	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	478	TON
50	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	796	TON
51	624	Mobilization	1	LS
52	614	Maintaining Traffic	1	LS
53	690 Special	Mailbox, Removed and Reset, As Per Plan	35	EACH
SUB-TOTAL PART N				
PART O - TR 28N, El Camino Drive (0.26 mile) - Jerome Township				
54	202	Wearing Course Removed (Butt Joints)	56	SQ YD
55	254	Pavement Planing (1.50"), As Per Plan	2,135	SQ YD
56	407	Non-Tracking Tack Coat	825	GAL
57	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	230	TON
58	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	380	TON
59	624	Mobilization	1	LS
60	614	Maintaining Traffic	1	LS
61	690 Special	Mailbox, Removed and Reset, As Per Plan	15	EACH
SUB-TOTAL PART O				

PART P - TR 280, El Camino Lane (0.23 mile) - Jerome Township					
62	202	Wearing Course Removed (Butt Joints)	30	SQ YD	
63	254	Pavement Planing (1.50"), As Per Plan	1,890	SQ YD	
64	407	Non-Tracking Tack Coat	570	GAL	
65	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	157	TON	
66	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	262	TON	
67	624	Mobilization	1	LS	
68	614	Maintaining Traffic	1	LS	
69	690 Special	Mailbox, Removed and Reset, As Per Plan	15	EACH	
SUB-TOTAL PART P					
PART Q - TR 28P, Mission Drive (0.32 mile) - Jerome Township					
70	202	Wearing Course Removed (Butt Joints)	111	SQ YD	
71	254	Pavement Planing (1.50"), As Per Plan	2,630	SQ YD	
72	407	Non-Tracking Tack Coat	790	GAL	
73	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	220	TON	
74	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	365	TON	
75	624	Mobilization	1	LS	
76	614	Maintaining Traffic	1	LS	
77	690 Special	Mailbox, Removed and Reset, As Per Plan	15	EACH	
SUB-TOTAL PART Q					
PART R - TR 9A (part), Mitchell Dewitt Road (0.92 mile) - Jerome Township					
78	202	Wearing Course Removed (Butt Joints)	83	SQ YD	
79	407	Non-Tracking Tack Coat	1,375	GAL	
80	441	AC Intermediate Course, Type 1 (448), PG64-22 (3/4")	382	TON	
81	441	AC Surface Course, Type 1 (448), PG64-22 (1.25")	637	TON	
82	624	Mobilization	1	LS	
83	614	Maintaining Traffic	1	LS	
84	690 Special	Mailbox, Removed and Reset, As Per Plan	5	EACH	
SUB-TOTAL PART R					
PART S - Hyland Croy Road (Southern Segment) (0.60 mile)					
85	251	PARTIAL DEPTH PAVEMENT REPAIR (441) (4"	250	SQ YD	
86	254	PAVEMENT PLANING, ASPHALT CONCRETE (1.5")	11800	SQ YD	
87	407	NON-TRACKING TACK COAT	1,900	GAL	
88	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), 1.5" PG64-22	1053	TON	
89	617	RECONDITION SHOULDER, 4" COMPACTED AGGREGATE, AS PER PLAN	158	CY	
90	644	EDGE LINE, 4"	1	MILE	
91	644	CENTER LINE	0.95	MILE	
92	644	CHANNELIZING LINE, 8"	350	FT	
93	644	CROSSWALK LINE, 12"	120	FT	
94	644	TRANSVERSE/DIAGONAL LIN	575	FT	
95	644	LANE ARROW	6	EACH	
96	644	WORD, ONLY	2	EACH	
97	203	TRENCHING, AS PER PLAN - 36" WIDE	1,906	LIN FT	
98	302	BITUMINOUS AGGREGATE BASE 8"	282	TON	
99	441	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, (448), 3/4" PG64-22	530	TON	
100	614	MAINTAINING TRAFFIC	1	LS	
101	614	TEMPORARY CENTERLINE, CLASS II - MILE	1.8	MILE	
SUB-TOTAL PART R					

PART T - Hyland Croy Road (Northern Segment) (0.37 mile)				
102	254	PAVEMENT PLANING, ASPHALT CONCRETE (1.5")	4675	SQ YD
103	407	NON-TRACKING TACK COAT	700	GAL
104	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), 1.5" PG64-22	390	TON
105	617	RECONDITION SHOULDER, 4" COMPACTED AGGREGATE, AS PER PLAN	95	CY
106	644	EDGE LINE, 4"	0.75	MILE
107	644	CENTER LINE	0.37	MILE
108	644	SCHOOL MARKING, 72"	1	EACH
109	441	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, (448), 3/4" PG64-22	195	TON
110	614	MAINTAINING TRAFFIC	1	LS
111	614	TEMPORARY CENTERLINE, CLASS II	1.1	MILE
SUB-TOTAL PART R				
INCIDENTALS				
112	Special	Performance and Payment Bond	1	Lump

GRAND TOTAL

ADDENDUM #1
PROPOSAL

1. **NON - COLLUSION AFFIDAVIT**

In accordance with Title 23 United States Code, Section 112 and Ohio Revised Code, Chapter 1331 et. seq; and Sections 2921.11 and 2921.13, the bidder hereby states, under penalty of perjury and under other such penalties as the law provides, that he or his agents or employees have not entered either directly or indirectly into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal. **Execution of this proposal on the signature portion thereof shall constitute also signature of this Non-Collusion Affidavit as permitted by title 28 United States Code, Section 1746.**

2. **FEDERALLY REQUIRED EEO CERTIFICATION**

The bidder hereby certifies that he/she **has**, **has not**, participated in a previous contract or subcontract subject to the equal opportunity clause, as required by Executive Orders 10925, 11114, or 11246, and that he/she **has**, **has not**, filed with the Joint Reporting Committee, the Director of the Office of Federal Contract Compliance, a Federal Government Contract Compliance, a Federal Government contracting or administering agency, or the former President's Committee on Equal Employment Opportunity, all reports due under the applicable filing requirements. **The Bidder must check the appropriate "has or has not" below.**

HAS []

HAS NOT []

3. **CERTIFICATION AGAINST DEBARMENT AND SUSPENSION**

The bidder hereby certifies by signing this proposal that, except as noted below, under penalty of perjury and under other such penalties as the laws of this state and the United States of America provide, that the company or any person associated there with in the capacity of owner, partner, director, officer, principal investigator, project director, manager, auditor, or any position involving the administration of federal funds,

- is **not** currently under suspension, debarment, voluntary exclusion or determination of ineligibility by any federal agency; and,
- has not been debarred within the past three (3) years; and,
- does not have a proposed debarment pending; and,
- has not been indicted, convicted or had a civil judgment rendered against the company, or themselves by a court of competent jurisdiction in any matter involving fraud or official misconduct within the past three years

If there are exceptions to any of the above clauses please include a statement with the bid package detailing these exceptions.

Exceptions will not necessarily result in denial of award, but will be considered in determining bidder responsibility. For any exception noted, indicate below to whom it applies, initiating agency and dates of action. Providing false information may result in criminal prosecution or administrative sanctions. Execution of this proposal on the signature portion thereof shall constitute also signature of this certification as permitted by Title 28 United States Code, Section 1746.

4. **Required EEO Certification**

All prime contract bidders on the project must submit prior to the execution of a contract a copy of a valid Certificate of Compliance for Equal Employment Opportunity purposes as issued by the State Equal Employment Opportunity Coordinator.

Does this bidder have a valid Certificate of Compliance _____ Yes _____ No.

If "No" to the above, will this bidder be able to obtain a valid Certificate of Compliance prior to the execution of a contract? _____ Yes _____ No.

Bidder must provide a "Yes" answer to one or the other of the above questions.

5. **Prequalification**

Only pre-qualified contractors are eligible to submit bids for this PROJECT. Pre-qualification status must be in force **at the time of bid, at the time of award, and through the life of the construction contract**. Each bid shall be accompanied by satisfactory evidence indicating the Bidder's prequalification with the Ohio Department of Transportation in accordance with section 102.01 of its Construction and Material Specifications updated January 1, 2019.

Bidder prequalified with the Ohio Department of Transportation?

YES NO

The **TOTAL AMOUNT OF THE BID**, based on the Approximate Unit Quantities given above and lump sum/unit prices specified above by the Bidder amounts to the sum of:

_____ and _____/100 Dollars.

(\$ _____)

COMPLETION DATE:

Work shall not commence before July 10, 2026 and shall be completed no later than October 30, 2026.

Attached hereto is a bond (or certified check, cashier's check, or letter of credit) with/on _____ of _____, for the sum of _____ (\$ _____) Dollars, in accordance with the terms of the Instructions to Bidders.

The full name and residence of all persons and parties interested in the foregoing bid, as principals are as follows:

<u>NAME</u>	<u>ADDRESS</u>
_____	_____
_____	_____
_____	_____

SUBCONTRACTORS AND SUPPLIERS :

NAME	ITEM	AMOUNT
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

PLEASE ATTACH APPLICABLE WORK EXPERIENCE

In accordance with Executive Order 2011-03K, the Contractor, by signature on this Bid, certifies; (1) it has reviewed and understands Executive Order 2011-03K, (2) has reviewed and understands the Ohio ethics and conflict of interest laws, and (3) will take no action inconsistent with those laws and this order. The Contractor understands that failure to comply with Executive Order 2011-03K is, in itself, grounds for termination of this contract and may result in the loss of other contracts with the State of Ohio.

The full text of Executive Order 2011-03K can be downloaded from:
<http://www.governor.ohio.gov/Portals/0/pdf/executiveOrders/EO2011-03.pdf>

Signature of Bidder _____ Date _____

COMPANY _____

Business Address of Bidder _____

Business Phone Number (____) _____ Fax (____) _____

Bidder E-Mail address _____

<i>Acknowledgement of Addendum(s) (if any) to Proposal:</i>				
Addendum(s) Received (circle if applicable)	#1	#2	#3	#4
Date Signed _____	Signature of Bidder _____			

PLEASE DIRECT ANY PRE-BID QUESTIONS TO Jeff Stauch at jstauch@unioncountyohio.gov.