

ROAD RIGHT-OF-WAY RECORD

20-Oct-03

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES	
1	B	Industrial Pkwy.	60'	100'	Construction Plans	1932	Easement: Deed Book #269, p. 59
	C		60'	100'	Construction Plans	1932	Easement: Deed Book #269, p. 59
	D		60'	100'	Construction Plans	1932	Easement: Deed Book #335, p. 674, 678, 680
	E		60'	100'	Construction Plans	1932	Easement: Deed Book #335, p. 672
	F		60'	100'	Construction Plans	1932	
	G		60'	100'	Construction Plans	1932	
	H		60'	100'	Construction Plans	1932	
	I		60'	100'	Construction Plans	1932	
	J		60'	100'	Construction Plans	1942	Easement: Deed Book #335, p. 676
	K		60'	100'	Construction Plans	1942	
	L		60'	100'	Construction Plans	1942	Easement: D.B.#237, p.475; D.B.#238, p.270
	M		60'	100'	Construction Plans	1942	Easement: Plat Book #4, p. 125-126
	N		60'	100'	Construction Plans	1942	
	O		60'	100'	Construction Plans	1942	
P		60'	100'	Construction Plans	1942	part var. by Survey Record #9, p. 590-591 Easement: Plat Book #4, p. 69, 72-3, 115-7	
2	B	Hyland - Croy Rd.	50'	80'	Gr. Rd. Rec. #8, p. 13	1912	
	C		50'	80'	Gr. Rd. Rec. #8, p. 13	1912	C.J.#22,p.424: 60' approx. 3/4 mile south from CR9
	D		50'	80'	Estimate, Fence Notices	1956	
	E		50'	80'	Estimate, Fence Notices	1956	
3	-	Butler Ave.	40'	60'	Gr. Rd. Rec. No. 5 p. 200	1901	Easement: Deed Book #312, p. 699
4	A	Weldon Rd.	40'	60'	referenced by Survey Record #9, p. 465	-	Easement: Plat Book #4, p. 113
	B		40'	60'	same as section A	-	Easement: Plat Book #4, p. 69, 72-3, 115-7
5	-	Kile Rd.	40'	60'	Occupied	-	
6	A	Warner Rd.	60'	80'	Occupied to match	-	
	B		60'	80'	Road Book #1, p. 251	1849	
	C		60'	80'	Road Book #1, p. 251	1849	
7	-	Frazier Dr.	50'	60'	Plat Book #3, p.125,161; Plat Book #3A, p.15,22	1960	
8	A	Currier Rd.	60'	60'	Comm. Journal #22, p. 408	1937	var. at US 42 by ODOT R/W Plans (US 42)
	B		60'	60'	Comm. Journal #22, p. 408	1937	
9	A	Mitchell - Dewitt Rd.	40'	60'	Gr. Rd. Rec. #5, p. 87	1892	
	B		50'	60'	Signed Petition	1957	
	C		50'	80'	Fence Notices, Estimate, Construction Plans	1953	var. at US 33 by ODOT R/W Plans (US 33)
	D		50'	80'	Fence Notices, Estimate, Construction Plans	1953	
	E		50'	80'	Fence Notices, Estimate, Construction Plans	1953	
10	A	McKitrick Rd.	40'	80'	Gr. Rd. Rec. #6, p. 426	1909	
	B		40'	80'	Gr. Rd. Rec. #6, p. 426	1909	
11	A	Jerome Rd.	60'	80'	Construction Plans	1938	Easement: D.B. #152, p. 624-626; S.R. #6, p. 183
	B		60'	80'	Construction Plans	1938	Easement: D.B. #152, p. 624-626; S.R. #6, p. 183

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.

Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
11	C Jerome Rd.	60'	80'	Road Book #1, p. 90-94	1839	
	D	60'	80'	Comm. Journal #22, p. 585	1938	
	E	60'	80'	Comm. Journal #22, p. 585	1938	
	F	60'	80'	Comm. Journal #22, p. 585	1938	
	G	60'	80'	Comm. Journal #22, p. 585	1938	
	H	60'	80'	Comm. Journal #22, p. 585	1938	
	I	60'	80'	Road Book #1, p. 90-4	1839	Easement: D.B. #146, p. 483; S.R. #6, p. 110
12	A Rickard Rd.	60'	60'	Old SR 42, referenced by S.R.#7 p.78	-	
	B	60'	60'	Old SR 42, referenced by S.R.#7 p.78	-	
13	- Scioto Rd.	60'	80'	Road Book #1, p. 55	1836	Easement: Deed Book #340, p. 477-80, 482-5
14	- Hill Rd.	50'	60'	Signed Agreement, Comm. Journal #25, p. 384-B	1955	
15	- Blaney Rd.	40'	80'	Gr. Rd. Rec. #7, p. 94	1908	
16	A Brock Rd.	60'	80'	Road Book #1, p. 55	1836	var. at US 33 by ODOT R/W Plans (US 33)
	B	60'	80'	Road Book #1, p. 55	1836	
17	A Wells Rd.	50' & 60'	60'	Partially Signed Petition, Construction Plans	1962	E of curves: 60'; at and W of curves: 50'
	B	40'	60'	Comm. Journal #25, p. 387	1955	
18	A Harriott Rd.	50'	80'	Estimate	1952	Easements at curves (1951)
	B	50'	80'	Gr. Rd. Rec. #3, p. 70	1882	
	C	40'	80'	Estimate, Construction Plans	1955	
19	A Bell Rd.	40'	60'	Resolution, Estimate	1955	
	B	40'	60'	Resolution, Estimate	1955	
	C	40'	60'	Resolution, Estimate	1955	
	D	50'	60'	Signed Petition	1958	
20	- Lambka Rd.	50'	60'	Gr. Rd. Rec. #4, p. 54, 79	1882	
21	- Lafayett - Plain City Rd.	40' & 60'	60'	Occupied, ODOT R/W Plans	-	E-W part (old SR161): 60'; N-S part: 40' Occupied
22	A Watkins - California Rd.	60'	80'	Comm. Journal #22, p. 546	1938	var. at SR 161 and at old intersection
	B	60'	80'	Comm. Journal #22, p. 546	1938	
	C	60'	80'	Comm. Journal #22, p. 546	1938	
	D	60'	80'	Comm. Journal #22, p. 546	1938	
23	A Converse Rd.	60'	80'	Construction Plans	1939	
	B	60'	80'	Comm. Journal #23, p. 13, 165	1939	Easement: D.B. #160, p. 85-92; S.R. #6, p. 192-194
	C	40'	80'	referenced by Survey Record #6, p. 195	-	W part 60' by Survey Record #6, p. 195
24	A Post Rd.	var.	60'	ODOT R/W Plans (US 33)	-	
	B	60'	60'	Road Book #1, p. 205-215	1844	part var. by ODOT R/W Plans (US 33)
25	- Heritage Dr.	60'	60'	Plat Book #4, p. 125-126	1989	
26	- Clark Dr.	50'	60'	Plat Book #4, p. 27	1972	
27	A Kimberly Dr.	60'	60'	Plat Book #3A, p. 51	1965	
	B Briarwood Dr.	60'	60'	Plat Book #3A, p. 51	1965	
28	A New California Dr.	60'	60'	Plat Book #4, p. 59-60	1976	60' extension in 1993 by Plat Book #4, p.100
	B Santa Barbara Dr.	60'	60'	Plat Book #4, p. 59-60	1976	
	C Redwood Circle	60'	60'	Plat Book #4, p. 59-60	1976	
	D La Catina Circle	60'	60'	Plat Book #4, p. 59-60	1976	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.

Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
28	E Mojave Circle	60'	60'	Plat Book #4, p. 59-60	1976	
	F Monteray Dr.	60'	60'	Plat Book #4, p. 65-66	1976	60' extended in 1993 by Plat Book #4, p. 100
	G Sierra Woods Cr.	60'	60'	Plat Book #4, p. 65-66	1976	
	H Tioga Springs Cr.	60'	60'	Plat Book #4, p. 65-66	1976	
	I Carmel Dr.	60'	60'	Plat Book #4, p. 100	1993	
29	A Crottinger Rd.	50'	60'	Signed Petition, Comm. Journal #25, p. 482	1956	
	B	50'	60'	Comm. Journal #26, p.15, Construction Plans	1958	
	C	50' & 60'	60'	Comm. Journal #26, p.15, Construction Plans	1958	S end: 50'; N end 60'
30	- Adelsberger Rd.	30'	60'	referenced by S.R.#7 p.384	-	
31	A Hickory Ridge Rd.	40'	60'	Occupied	-	
	B	40'	60'	Occupied	-	E end 60' by 1996 Official Record #49, p. 123
32	A Ketch Rd.	60'	60'	Occupied	-	
	B	60'	80'	Signed Petition	1959	
	C	40'	60'	Occupied	-	Easement: Deed Book #284, p. 746-748
33	A Taylor Rd.	50'	60'	Comm. Journal #26, p. 51, Signed Petition	1958	
	B	50'	60'	Comm. Journal #26, p. 51, Signed Petition	1958	
	C	50'	80'	Comm. Journal #26, p. 51, Signed Petition	1958	
	D	50'	80'	Comm. Journal #26, p. 51, Signed Petition	1958	
	E	60'	80'	Signed Petition, Construction Plans	1959	additional 15' and 20' Easements at R.R. crossing
	F	60'	80'	Signed Petition	1959	
34	A Adams Rd.	50'	80'	Comm. Journal #25, p. 482, Signed Agreement	1956	
	B	50'	80'	Comm. Journal #25, p. 482, Signed Agreement	1956	
35	A Fladt Rd.	40'	60'	referenced by Survey Record #9, p. 352	-	
	B	50'	60'	Part. Signed Petition	1958	
	C	50'	60'	Part. Signed Petition	1958	
	D	50'	60'	Part. Signed Petition	1958	
	E	50'	60'	Part. Signed Petition	1958	
36	A Beecher - Gamble Rd.	50'	80'	Comm. Journal #26, p. 173, Signed Petition	1959	var. at US 33 by ODOT R/W Plans (US 33)
	B	50'	60'	Comm. Journal #26, p. 173, Signed Petition	1959	var. at US 33 by ODOT R/W Plans (US 33)
37	A Derio Rd.	40'	80'	Comm. Journal #22, p. 331	1936	var. at US 33 by ODOT R/W Plans (US 33)
	B	40'	80'	Comm. Journal #22, p. 331	1936	
38	A Robinson Rd.	50'	80'	Comm. Journal #23, p. 402	1941	additional 1941 Easements
	B	50'	80'	Comm. Journal #23, p. 402	1941	additional 1941 Easements
	C	50'	80'	Comm. Journal #23, p. 402	1941	additional 1941 Easements
	D	50'	80'	Comm. Journal #25, p. 397, Signed Agreement	1955	
	E	50'	80'	Comm. Journal #25, p. 397, Signed Agreement	1955	
39	- Hidden Farm Rd.	30'	60'	Minimum Occupied	-	
40	- Trail End Rd.	40'	60'	Occupied	-	
41	- Memorial Dr.	60'	60'	Plat Book #4, p. 69, 72, 73, 115-117	1978	
42	- Kramer Rd.	45'	60'	Gr. Rd. Rec. #2, p. 91	1880	
43	- O'harra Rd.	40'	60'	Road Book #2, p. 280-2	1881	
44	- Scheiderer Rd.	40'	60'	Road Book #3, p. 37-8	1884	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width. Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
45	- Durban Rd.	50'	60'	Comm. Journal #26, p. 336, Signed Petition	1960	
46	A Hagerfer Rd.	40'	60'	Gr. Rd. Rec. #7, p. 79	1909	
	B	50'	60'	Signed Petition	1959	Easement: Deed Book #263, p. 89-92 additional 1974 Easement
47	- Herchanhahn Rd.	50'	60'	referenced by Field Book 518-A	-	
48	- Sugar Mill La.	60'	60'	Plat Book #4, p. 151-152	1992	
49	A Hawn Rd.	40'	60'	Estimate	1953	
	B	40'	60'	Estimate	1953	
50	- Montgomery Dr.	60' & var.	60'	Plat Book #4, p. 208	1996	Easement: D.B. #328, p. 4, 8; D.B. #337, p. 155
51	- Brown - Moder Rd.	40'	60'	Gr. Rd. Rec. #7, p. 69	1909	
52	A Weaver Rd.	60'	80'	Comm. Journal #22, p. 535	1938	Easement: Survey Record #6, p. 172 Easement: D.B.#157,p.75-7,222-3;D.B.#159,p.204
	B	60'	80'	Comm. Journal #22, p. 535	1938	
53	- Kleiber Rd.	50' & var.	60'	Signed Petition with Plan	1962	
54	- Debolt Rd.	40'	60'	references to Aud. Box 190	1910	
55	A Unionville Rd.	48'	60'	Estimate, Fence Notices	1953	
	B	50'	60'	Occupied	-	
	C	50'	60'	Occupied	-	
	D	50'	60'	Occupied	-	
	E	50'	80'	Comm. Journal #23, p. 402	1941	Easement: Deed Book #241, p. 115-120 Easement: Deed Book #284, p. 295
56	- Rosedale Rd.	40'	60'	Occupied	-	
57	A Middleburg - Plain City Rd.	60'	100'	Comm. Journal #22, p. 124	1934	
	B	60'	100'	Comm. Journal #22, p. 124	1934	
	C	60'	100'	Comm. Journal #22, p. 124	1934	
	D	60'	100'	Comm. Journal #22, p. 124	1934	
	E	60'	100'	Comm. Journal #22, p. 124	1934	
	F	60'	100'	Gr. Rd. Rec. #1, p. 39	1873	additional Easements
	G	60'	100'	Gr. Rd. Rec. #1, p. 39	1873	
	H	60'	100'	Gr. Rd. Rec. #1, p. 39	1873	
	I	60'	100'	Road Book #1, p. 18-21	1833	
	J	60'	100'	Road Book #1, p. 18-21	1833	
	K	50'	100'	Comm. Journal #21, p. 541	1933	Easement:D.B.#145,p.586;D.B.#146,p.31-2,39,46,151 D.B.#150,p.382;S.R.#6,p.101-103,107;R/Wplans-SR161 part 60' by 1962 ODOT R/W Plans for SR 38
58	A Burns Rd.	60'	80'	referenced by Monument Book, County Ledger	-	
	B	60'	80'	referenced by Monument Book, County Ledger	-	
59	- Lombard Rd.	45' & var.	60'	ODOT R/W Plans for SR 38 & 161	1967	
60	A Rausch Rd.	60'	60'	Road Book #1, p. 175	1843	
	B	50'	60'	Estimate, Fence Notices	1957	
	C	50'	60'	Estimate, Fence Notices	1957	
61	- Kandel Rd.	60'	60'	Road Book #1, p. 175	1843	Easement: Official Record #13, p. 663
62	A Sam Reed Rd.	40'	60'	Gr. Rd. Rec. #7, p. 438	1914	
	B	50'	60'	Signed Petition	1956	
63	- Paris - Darby Line Rd.	40'	60'	Road Book #2, p. 33	1851	
64	A Timber La.	50'	60'	Plat Book #3, p. 109-120	1957	
	B Timber Trails	50'	60'	Plat Book #4, p. 2	1967	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.

Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
64	C Fairway Dr.	50'	60'	Plat Book #4, p. 2	1967	
65	A Sabine - Bigelow Rd.	60'	60'	Comm. Journal #23, p. 326	1940	Easement: Survey Record #6, p. 202-204
	B	60'	60'	Road Book #1, p. 126	1839	Easement: S.R. #7, p. 158
66	- Dellinger Rd.	40'	60'	Occupied	-	
67	A Streng Rd.	40'	60'	Gr. Rd. Rec. #5, p. 183	1901	
	B	40'	60'	Gr. Rd. Rec. #5, p. 183	1901	Easement: S.R. #7, p. 158
	C	60'	60'	Road Book #1, p. 126	1839	Easement: D.B. #160, p. 359-60; S.R. #6, p. 242
	D	60'	60'	Gr. Rd. Rec. #1, p. 39	1873	Easement: Deed Book #329, p. 657-60
	E	var.	60'	Easement: Deed Book #329, p. 657-660	1992	
68	- Southard Rd.	40'	60'	Gr. Rd. Rec. #7, p. 289	1912	
69	A Orchard Rd.	60'	60'	by law (ref: Road Book #1, p.1)	-	Easement: D.B.#308,p.549;D.B.#309,p.128,208
	B	60'	60'	by law (ref: Road Book #1, p.1)	-	Easement: Deed Book #251, p. 222
70	A Boerger Rd.	40'	60'	Gr. Rd. Rec. #7, p. 31	1993	W pt. var. by D.B.#336, p.612-20; D.B.#341, p.398
	B	40'	60'	Gr. Rd. Rec. #7, p. 31	1911	Easement: Plat Book #4, p. 119
71	A Payne Rd.	60'	60'	Road Book #1, p. 75-9	1837	
	B	40'	60'	Gr. Rd. Rec. #7, p. 219	1911	var. at SR 4 & 36 by ODOT R/W Plans
72	A Coleman - Brake Rd.	50'	60'	referenced by S.R.#7 p.141, Unsigned Petition	-	
	B	50'	60'	referenced by S.R.#7 p.141, Unsigned Petition	-	
	C	50'	60'	Road Book #2, p. 77-8	1855	
	D	40'	60'	Occupied	-	
	E	40'	60'	Road Book #2, p. 249-251	1878	W part 40' Occupied to match
73	A Maple Ridge Rd.	50'	80'	Comm. Journal #25, p. 297-298	1954	Easement: Deed Book #323, p. 525, 326, 696
	B	50'	80'	Comm. Journal #25, p. 297-8	1954	
	C	50'	80'	Occupied to match	-	
	D	50'	80'	Occupied to match, Tax Map	-	
74	- Philip Herre Rd.	40'	60'	Gr. Rd. Rec. #7, p. 225	1911	
75	A North Darby Coe Rd.	50'	60'	Occupied to match	-	
	B	50'	60'	referenced by Survey Record #9, p. 276	-	
	C	50'	60'	referenced by S.R. #7, p. 497; S.R. #9, p. 519	-	
76	A Woodstock Rd.	50'	60'	Occupied	-	
	B	50'	60'	Occupied	-	
77	A Champaign County Line Rd.	50'	60'	reference to Aud. Box 151	1873	
	B	50'	60'	reference to Aud. Box 151	1873	
78	A Collins Rd.	60'	80'	Comm. Journal #1, p.60	1824	
	B	60'	80'	Construction Plans	-	
	C	60'	80'	Construction Plans	-	
	D	60'	80'	Construction Plans	-	
	E	60'	80'	Construction Plans	-	
	F	60'	80'	Construction Plans	-	
	G	60'	80'	Construction Plans	-	
79	A Lincoln Rd.	40'	60'	Gr. Rd. Rec. #7, p. 154	1909	
	B	40'	60'	Gr. Rd. Rec. #7, p. 154	1909	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.

Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
80	- Cranston Rd.	40'	60'	Gr. Rd. Rec. #7, p. 162	1909	
81	- Connor Rd.	60'	60'	Comm. Journal #23, p. 26, 35, 55	1939	Easement: D.B. #160, p. 111; S.R. #6, p. 190
82	- Winget Rd.	50'	60'	Comm. Journal #18, p. 10	1915	Easement: Deed Book #272, p. 814
84	- Bates Rd.	40'	60'	Minimum Occupied	-	
85	- Irwin Rd.	40'	60'	Road Book #2, p. 231	1876	
86	A Homer Rd.	60'	60'	Comm. Journal #22, p. 314	1936	Easement: Survey Record #6, p. 122
	B	60'	60'	Comm. Journal #22, p. 314	1936	Easement: Survey Record #6, p. 122
87	A Axe Handle Rd.	60'	60'	Comm. Journal #23, 326	1938	Easement: Survey Record #6, p. 207-208 Easement: Deed Book #160, p. 107, 110, 113
	B	60'	60'	Comm. Journal #23, 326	1938	Easement: Survey Record #6, p. 204-207 Easement: D.B. #160, p. 105-106, 112, 117-118
88	- Milford Ave.	60'	60'	Road Book #1, p. 13-5, abandoned SR 4 & 36	1824	var. at SR 4 & 36 by ODOT R/W Plans
89	- Bishop Rd.	40'	60'	Occupied	-	
90	- Darby Blvd. West	50'	60'	Plat Book #4, p. 22	1972	
91	A Wilderness Tr.	60'	60'	Plat Book #4, p. 83, 114	1980	
	B Woodhill Dr.	60'	60'	Plat Book #4, p. 83, 114	1980	
	C Hickorywood Tr.	60'	60'	Plat Book #4, p. 83, 114	1980	
92	- Brown Rd.	50'	60'	Comm. Journal #27 p. 55	1962	Easement: Survey Record #7, p. 130-131 Easement: Deed Book #208, p. 299-302
93	A Smart - Cole Rd.	60'	60'	Road Book #1, p. 58	1837	
	B	60'	60'	Road Book #1, p. 58	1837	
	C	60'	60'	Road Book #1, p. 58	1837	
94	- Shields Rd.	50'	60'	Signed Petition	1964	
95	A Osage Dr.	60'	60'	Plat Book #4, p. 95	1982	
	B Sycamore Dr.	60'	60'	Plat Book #4, p. 95, 141	1982	60' extended in 1990
	C Pleasant Ridge Dr.	60'	60'	Plat Book #4, p. 95, 141, 149	1982	60' extended in 1990 and 1992
	D Fels Blvd.	60'	60'	Plat Book #4, p. 95	1982	
	E Shagbark Ct.	60'	60'	Plat Book #4, p. 149	1992	
	F Willow Ct.	60'	60'	Plat Book #4, p. 149	1992	
96	A State Rd.	60'	80'	Comm. Journal #23, p. 438	1942	50' used for construction
	B	60'	80'	Comm. Journal #23, p. 438	1942	50' used for construction
	C	60'	80'	Comm. Journal #23, p. 438	1942	50' used for construction
97	- Long Rd.	50'	60'	Signed Petition	1957	
99	- Thompson Rd.	40'	60'	Occupied	-	
100	A Bellepoint Rd.	50'	80'	Gr. Rd. Rec. #1, p. 126	1876	66' at Watkins
	B	50'	80'	Gr. Rd. Rec. #1, p. 126	1876	
	C	50'	80'	Estimate, Fence Notices	1953	
	D	50'	80'	Estimate, Fence Notices	1953	
101	A Hinton Mill Rd.	60'	80'	Comm. Journal #1, p. 60	1824	
	B	60'	80'	Comm. Journal #1, p. 60	1824	
	C	60'	80'	Comm. Journal #1, p. 60	1824	40' E of curve by Road Book #2, p. 6 (1849)
	D	40'	80'	Road Book #2, p. 6	1849	Easement: Deed Book #321, p. 591-2, 595-8
	E	50'	80'	Gr. Rd. Rec. #1, p. 126	1876	
	F	50'	60'	Road Book #2, p. 247-8	1877	
	G	60'	60'	Road Book #1, p. 202, 253	1844	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width. Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
104	A Watkins Rd.	60'	100'	Comm. Journal #1, p. 60	1824	90' & var. at US 33 by ODOT R/W Plans (US 33)
	B	60'	100'	Road Book #1, p. 157-158	1841	referenced by D.B.#148, p.504; S.R.#6 p.124
	C	60'	100'	Road Book #1, p. 157-158	1841	Easement: Survey Record #6, p. 114
	D	60'	100'	Road Book #1, p. 36-37	1835	Easement: Survey Record #6, p. 114
	E	60'	100'	Road Book #1, p. 36-37	1835	
	F	60'	100'	Road Book #1, p. 36-37	1835	66' at Watkins
	G	60'	100'	Road Book #1, p. 36-37	1835	66' at Watkins
	H	60'	100'	Road Book #1, p. 36-37	1835	
	I	60'	100'	Road Book #1, p. 36-37	1835	
	J	60'	100'	Road Book #1, p. 36-37	1835	
	K	60'	100'	Road Book #1, p. 144	1840	
	L	60'	80'	Road Book #1, p. 144	1840	
105	A Scottslawn Rd.	50'	100'	Occupied	-	
	B	50'	100'	Occupied	-	
	C	50'	100'	Occupied	-	
	D	var.	100'	Easement: D.B.#269, p. 55-62; D.B.#272, p. 408	1976	pt. 60' by additional 1958 Easements
	E	80'	100'	Easement: D.B. #232, p. 412	1968	var. at US 33 by ODOT R/W Plans (US 33)
	F	50'	100'	Signed Petition	-	var. at US 33 by ODOT R/W Plans (US 33)
106	- Fish Rd.	40'	60'	Road Book #2, p. 39	1852	
107	A Springdale Rd.	60'	60'	Road Book #1, p. 188	1842	
	B	50'	60'	Resolution, Estimate	1955	
	C	50'	60'	Resolution, Estimate	1955	
	D	60'	60'	Road Book #1, p. 188	1842	
	E	60'	60'	Road Book #1, p. 188	1842	
	F	60'	60'	Road Book #1, p. 188	1842	
	G	40'	60'	Estimate, Fence Notice	1952	
	H	40'	60'	Estimate	1952	
	I	40'	60'	Estimate	1952	
	J	40'	60'	Estimate	1952	
	K	40'	60'	Estimate	1952	
	L	60'	60'	Comm. Journal #23, p. 228 & 242	1940	
	M	40'	60'	Road Book #2, p. 96	1858	
108	- Myers Rd.	30'	80'	Road Book #2, p. 61	1854	
109	- Jolly Rd.	50'	60'	Comm. Journal #26, p. 478, 481	1961	
110	A Delaware County Line Rd.	var.	60'	Resolution, Signed Petition, Construction Plans	1954	Easement: Deed Book #309, p. 16
	B	50'	60'	Signed Petition	1956	
	C	50'	60'	Signed Petition	1956	
	D	50'	60'	Signed Petition	1960	
112	- Pottersburg Rd.	60'	60'	Plat Book #2, p. 120	1870	S connector to CR 147: 30' minimum required by law
113	A White Stone Rd.	60'	80'	Comm. Journal #23, p. 39	1939	NW part var. by 1986 ODOT R/W Plans (US 33)
	B	60'	80'	Comm. Journal #23, p. 39	1939	
	C	60'	80'	Comm. Journal #23, p. 39	1939	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.

Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
113	D White Stone Rd.	60'	80'	Comm. Journal #23, p. 39	1939	
	E	60'	80'	Comm. Journal #23, p. 39	1939	Easement: Survey Record #6, p. 179 Easement: Deed Book #158, p. 280
	F	60'	80'	Comm. Journal #23, p. 39	1939	Easement: Survey Record #6, p. 180 Easement: Deed Book #158, p. 278, 281
	G	60'	80'	Comm. Journal #23, p. 39	1939	Easement: Survey Record #6, p. 180-181 Easement: Deed Book #158, p. 275-277
	H	60'	80'	Comm. Journal #23, p. 39	1939	Easement: Survey Record #6, p. 181 Easement: Deed Book #159, p. 23
	I	60'	80'	Comm. Journal #23, p. 39	1939	Easement: Survey Record #6, p. 182 Easement: Deed Book #158, p. 279
114	- Waldo Rd.	60'	80'	Easement: D.B.#335, p.764-827; D.B.#336, p.84	1993	Easement: Deed Book #252, p. 14-17 pt. 60' by Road Book #1, p. 122-4
115	A Taylor Ave.	50'	60'	Plat Book #3A, p. 16	1958	
	B Fairview Ave.	50'	60'	Plat Book #3A, p. 16	1958	
116	- Easton Rd.	40'	60'	Gr. Rd. Rec. #6, p. 84	1907	
117	A Navin Rd.	50'	60'	Plat Book #3, p.155,169; Plat Book #3A, p.19,25	1960	
	B Woodview Dr.	50'	60'	Plat Book #3, p. 155; Plat Book #3A, p. 19	1960	
	C Lakewood La.	50'	60'	Plat Book #3, p. 155; Plat Book #3A, p. 19	1960	
	D Banjo Rd.	50'	60'	Plat Book #3, p. 320; Plat Book #3A, p. 45	1965	
	E Brookside Ct.	50'	60'	Plat Book #3, p. 338; Plat Book #3A, p. 47	1965	
118	A Pine La.	30'	60'	Comm. Journal #11, p. 151	1900	
	B	30'	60'	referenced by Field Book 518-A, Occupied	-	
119	- Mackan Rd.	60'	60'	Road Book #2, p. 22, Signed Petition	1851	
120	- Black Rd.	50' & 60'	60'	Signed Petition	1963	W part: 50'; E part: 60'
121	- Merry Rd.	40'	60'	Gr. Rd. Rec. #5, p. 264	1905	
122	- Rittenhouse Rd.	33'	60'	Road Book #3, p. 156-7	1881	
123	- North Main St.	var.	60'	ODOT plans	1965	
124	A Greenwood Dr.	50'	60'	Plat Book #4, p. 19	1971	
	B Meadowbrook Dr.	50'	60'	Plat Book #4, p. 19	1971	
	C Valleyview Dr.	50'	60'	Plat Book #4, p. 19	1971	
125	A Liberty West Rd.	50'	60'	Signed Petition	1963	Easement: Survey Record #7, p. 154 Easement: Deed Book #212, p. 707
	B	50'	60'	Signed Petition	1963	Easement: Survey Record #7, p. 154 Easement: Deed Book #212, p. 707
	C	50'	60'	Signed Petition	1963	
	D	50'	60'	Signed Petition	1963	
126	A McBride Rd.	40'	60'	Gr. Rd. Rec. #7, p. 276	1911	
	B	40'	60'	Gr. Rd. Rec. #7, p. 276	1911	
	C	40'	60'	Gr. Rd. Rec. #7, p. 276	1911	
127	- Blues Creek Rd.	40'	60'	Gr. Rd. Rec. #6, p. 119	1907	
128	A Hillview Rd.	40'	60'	Road Book #2, p. 21	1851	
	B	40'	60'	Road Book #2, p. 21	1851	
	C	40'	60'	referenced in field book 518-A	-	
	D	40'	60'	referenced in field book 518-A	-	
	E	40'	60'	Gr. Rd. Rec. #6, p. 119	1907	
	F	40'	60'	Gr. Rd. Rec. #6, p. 119	1907	
	G	40'	60'	Gr. Rd. Rec. #6, p. 119	1907	
129	A Wolford - Maskill Rd.	60'	100'	Comm. Journal #23, p. 123, 130	1939	
	B	60'	100'	Comm. Journal #23, p. 123, 130	1939	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width. Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
129	C Wolford - Maskill Rd.	60'	100'	Comm. Journal #23, p. 123, 130	1939	
	D	60'	100'	Comm. Journal #23, p. 123, 130	1939	Easement: Survey Record #6, p. 300 Easement: Deed Book #160, p. 468
	E	60'	100'	Comm. Journal #23, p. 123, 130	1939	Easement: Survey Record #6, p. 300 Easement: Deed Book #160, p. 468-469
	F	60'	100'	Comm. Journal #23, p. 123, 130	1939	Easement: Survey Record #6, p. 300 Easement: Deed Book #160, p. 469
	G Claibourne Rd.	60'	100'	Road Book #2, p. 300 (Signed Petition)	1949	
	H	60'	100'	Comm. Journal #23, p. 22	1939	
	I	60'	100'	Comm. Journal #23, p. 22	1939	Easement: Survey Record #6, p. 173 Easement: Deed Book #157, p. 548
	J	60'	100'	Comm. Journal #23, p. 22	1939	Easement: Survey Record #6, p. 173 Easement: Deed Book #157, p. 547
	K	60'	100'	Comm. Journal #23, p. 22	1939	
	L	60'	100'	Comm. Journal #23, p. 22	1939	Easement: Survey Record #6, p. 175 Easement: Deed Book #157, p. 562, 565
130	B Amrine - Wood Rd.	50'	80'	Construction Plans	1939	
131	A Bellville Rd.	50'	60'	Comm. Journal #26, p. 289	1960	
	B	50'	60'	Comm. Journal #26, p. 289	1960	
132	A County Home Rd.	40'	80'	Estimate, Typ. Cr. Sec.	1953	
	B	40'	80'	Estimate, Typ. Cr. Sec.	1953	Easement: Deed Book #329, p. 653-6
	C	50'	80'	Comm. Journal #25, p. 317	1954	Easement: Deed Book #307, p. 711-4
	D	50'	80'	Comm. Journal #25, p. 317	1954	
	E	50'	80'	Comm. Journal #25, p. 317	1954	
	F	50'	80'	Comm. Journal #25, p. 317	1954	60' at E end by Construction Plans
133	A Northwest Pkwy.	var.	100'	ODOT R/W Plans (US 33)	1986	
	B	var.	100'	ODOT R/W Plans (US 33)	1960	
	C	var.	100'	ODOT R/W Plans (US 33)	1960	
	D	var.	100'	ODOT R/W Plans (US 33)	1960	
	E	var.	100'	ODOT R/W Plans (US 33)	1960	
	F	var.	100'	ODOT R/W Plans (US 33)	1960	
	G	var.	100'	ODOT R/W Plans (US 33)	1960	
	H	var.	100'	ODOT R/W Plans (US 33)	1960	
	I	var.	100'	ODOT R/W Plans (US 33)	1960	
134	A Paver - Barnes Rd.	40'	80'	Comm. Journal #22, p. 308	1936	Easement: Plat Book #4, p. 120
	B	50'	80'	Comm. Journal #26, p. 54, Signed Petition	1958	
	C	50'	80'	Comm. Journal #26, p. 54, Signed Petition	1958	
	D	45'	80'	Comm. Journal #25, p. 384-A, Signed Agreement	1955	Easement: Plat Book #4, p. 144
	E	45'	80'	Comm. Journal #25, p. 384-A, Signed Agreement	1955	Easement: Deed Book #191, p. 321
	F	45'	80'	Estimate, Construction Plans	1954	Easement: Deed Book #191, p. 321
	G	50'	80'	Estimate, Fence Notice	1954	
135	A Dover & County Line Rd.	60'	60'	Road Book #1, p. 113-5	1838	
	B	60'	60'	Road Book #1, p. 113-5	1838	
136	A Dog Leg Rd.	50'	60'	Unsigned Petition, Estimate, Construction Plans	1955	
	B	50'	60'	Unsigned Petition, Estimate, Construction Plans	1955	
	C	50'	60'	Unsigned Petition	-	same as other sections, occupied in support
	D	50'	60'	Unsigned Petition	-	same as other sections, occupied in support
	E	50'	60'	Signed Petition	1958	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.

Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
136	F Dog Leg Rd.	50'	60'	Signed Petition	1958	
	G	50'	60'	Signed Petition	1958	
137	A Westlake - Lee Rd.	60'	60'	Partially Signed Petition	-	noted complete for sections A & B
	B	60'	60'	Partially Signed Petition	-	noted complete for sections A & B
	C	60'	60'	Road Book #1, p. 242-3	1849	Easement: Plat Book #4, p. 144
139	A Barker Rd.	50'	80'	reference to 1963 50' by Twp. Trus.	1963	
	B	60'	80'	Road Book #1, p. 169	1842	
140	- Clark Rd.	60'	60'	to match Champaign County R/W	-	
141	A Cradler - Turner Rd.	40'	60'	Road Book #2, p. 50	1853	
	B	50'	60'	Unsigned Petition	1966	reference to Signed Petition in Twp. File
142	A Parrott Blvd.	50'	60'	Plat Book #4, p. 17, 23	1972	
	B Danville Ave.	50'	60'	Plat Book #4, p. 17, 23	1972	
	C Bonnie Ct.	50'	60'	Plat Book #4, p. 23	1972	
143	- Mill Rd.	40'	60'	referenced as 40' on ODOT R/W Plans (US 33)	-	
144	- Echo Dr.	50'	60'	Plat Book #3, p. 294-295	1964	
	A Glen Ellyn Dr.	50'	60'	Plat Book #3, p. 294-295	1964	
	B Lombard Dr.	50'	60'	Plat Book #3, p. 294-295	1964	
145	A Hinton Mill Rd.	60'	60'	Plat Book #4, p. 76	1979	var. between sec. B and CR104
	B Oxford Dr.	60'	60'	Plat Book #4, p. 76	1979	
146	A Buck Run Rd.	60'	60'	Road Book #2, p. 256-8	1879	
	B	60'	60'	Road Book #2, p. 256-8	1879	
147	B Allen Center Rd.	60'	100'	Comm. Journal #23, p. 239	1940	
	C	60'	100'	Comm. Journal #23, p. 239	1940	
	D	60'	100'	Road Book #1, p. 128-30	1939	
	E	60'	100'	Road Book #1, p. 128-30	1839	
148	A Wilbur Rd.	60'	60'	Road Book #1, p. 99-100	1839	
	B	60'	60'	Road Book #1, p. 99-100	1839	
149	A Bear Swamp Rd.	60'	80'	Estimate, Fence Notices	1956	
	B	60'	80'	Estimate, Fence Notices	1957	
	C	60'	80'	Estimate, Fence Notices	1957	
	D	60'	80'	Resolution	1958	
	E	40'	80'	Estimate	1950	
	F	40'	80'	Estimate	1950	
	G	40'	80'	Gr. Rd. Rec. #6, p. 420	1909	
150	- Abandoned S.R. 33	60'	60'	referenced on ODOT R/W Plans	-	abandoned State Road
151	A Poling Rd.	40'	60'	Comm. Journal #13, p. 274	1905	
	B	40'	60'	Occupied	-	
	C	40'	60'	Occupied	-	
	D	40'	60'	Occupied	-	
152	- Hunter's Run	80'	60'	Plat Book #4, p. 137-140, 173-174	1990	
154	- Boord Rd.	40'	60'	Road Book #2, p. 97-98	1859	reference in Black Book to Gr. Rd. Rec.
157	B Benton Rd.	40'	60'	Road Book #2, p. 171-3	1871	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.

Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
157	C Benton Rd.	40'	60'	Road Book #2, p. 171-3	1871	
	D	40'	60'	Road Book #2, p. 171-3	1871	
158	A Holycross - Epps Rd.	60'	60'	Road Book #2, p. 5	1850	
	B	60'	60'	Road Book #2, p. 5	1850	
	C	60' & var.	60'	referenced on ODOT R/W Plans (US 33)	-	var. at US 33 by 1986 ODOT R/W Plans (US 33)
160	- Clark - Dawson Rd.	40'	60'	Road Book #2, p. 26	1851	
161	A Darby - Pottersburg Rd.	40'	80'	Construction Plans	1965	part var. by 1986 ODOT R/W Plans (US 33)
	B	var.	80'	ODOT R/W Plans (US 33)	1986	
	C	40'	80'	Comm. Journal #13, p. 274, 338	1905	
	D	40'	60'	Comm. Journal #13, p. 274, 338	1905	
162	- James Watkins Rd.	33'	60'	Deed Book #134, p. 75	1926	
163	A Inskip - Cratty Rd.	60'	60'	Road Book #1, p. 153-155	1840	
	B	60'	60'	Estimate	1953	
164	A North Lewisburg Rd.	60'	80'	Road Book #1, p. 153-155	1840	
	B	60'	80'	Road Book #1, p. 95-96, 153-155	1840	
	C	60'	80'	Road Book #1, p. 95-96	1839	
165	A Honda Pkwy.	var.	100'	ODOT R/W Plans (US 33)	1960	Easement: Deed Book #314, p. 499
	B	var.	100'	ODOT R/W Plans (US 33)	1960	E end varied by 1986 ODOT R/W Plans (US 33)
	C	var.	100'	ODOT R/W Plans (US 33)	1986	
166	A Smokey Rd.	40'	60'	referenced by Field Book 518-A	-	cul-de-sac R/W by ODOT R/W Plans (US 33)
	B	40'	60'	referenced by Field Book 518-A	-	N end var. by 1990 Construction Plans cul-de-sac R/W by ODOT R/W Plans (US 33)
167	A West Darby Rd.	60' & var.	80'	D.B. #316, p. 491-504; D.B. #317, p.279	1990	
	B	60' & var.	80'	D.B. #342, p.257, 262-268, 369-377, 580	1994	
	C	60' & var.	80'	D.B. #342, p. 250-256, 260, 264, 269	1994	
	D	50'	60'	Construction Plans	1942	
	E	50'	60'	Construction Plans	1942	
168	A Stokes Rd.	60'	80'	Official Record #5, p. 687, 693	1995	
	B	60'	80'	Official Record #5, p. 689-696	1995	
	C	60' & var.	60'	ODOT R/W Plans (US 33)	1986	
171	- Hall Rd.	60'	60'	Comm. Journal #23, p. 228, 242	1940	
172	A Jackson Rd.	40'	60'	Gr. Rd. Rec. #5, p. 321	1905	
	B	60'	60'	Comm. Journal #23, p. 228, 242	1940	
173	- Lowe Rd.	50'	60'	Comm. Journal #26, p. 75, 173, Signed Petition	1959	
174	- Peoria Loop Rd.	60'	60'	Gr. Rd. Rec. #5, p. 108	1898	
175	- LeMasters Rd.	40'	60'	referenced by County Ledger and Field Book 518-A	-	Easement: Survey Record #6, p. 269 Easement: Deed Book #160, p. 400
176	- Shortees Rd.	40'	60'	Gr. Rd. Rec. #5, p. 365	1882	
177	- Morey - Courtright Rd.	40'	60'	Gr. Rd. Rec. #5, p. 365	1905	
179	A Johnson Rd.	var.	80'	Construction Plans	1989	
	B	var.	80'	Construction Plans	1989	
	C	var.	80'	Construction Plans	1989	
	D	40'	80'	referenced by County Ledger and Field Book 518-A	-	
	E	40'	80'	Gr. Rd. Rec. #6, p. 187	1907	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width. Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
179	F Johnson Rd.	40'	80'	Gr. Rd. Rec. #6, p. 187	1907	
	G	40'	80'	Gr. Rd. Rec. #6, p. 187	1907	Easement: Deed Book #275, p. 289
	H	60'	80'	D.B. #284, p. 639-643; S.R. #8, p. 422-423	1981	var. at TR 157
182	- Maple Dell Rd.	40'	60'	Occupied	-	
183	A Hopewell Rd.	50'	60'	Comm. Journal #25, p. 384-B, Signed Petitions	1958	constructed in two parts (1955 & 1958)
	B	60'	60'	Construction Plans	1938	
184	A Askins Rd.	40'	60'	Gr. Rd. Rec. #8, p. 117	1916	
	B	40'	60'	Gr. Rd. Rec. #8, p. 117	1916	
185	A Neel Rd.	50'	60'	Comm. Journal #25, p. 630, Signed Petition	1958	
	B	50'	60'	Comm. Journal #25, p. 630, Signed Petition	1958	
	C	50'	60'	Comm. Journal #25, p. 630, Signed Petition	1958	
186	- Fulton Creek Rd.	50'	60'	Resolution	1950	
187	- McMillen Rd.	40'	60'	Comm. Journal #21, p. 437, 479	1932	
188	- Race Rd.	40'	60'	Comm. Journal #16, p. 280	1910	Easement: Survey Record #6, p. 235 Easement: Deed Book #160, p. 353, 362
189	- Langstaff Rd.	40'	60'	Construction Plans	1933	
191	A Raymond Rd.	60'	100'	Comm. Journal #22, p. 408, 431	1936	
	B	60'	100'	Construction Plans	1934	
	C	60'	100'	Construction Plans	1936	
	D	60'	100'	Construction Plans	1936	Easement: Deed Book #151, p. 36
	E	60'	100'	Construction Plans	1936	
	F	60'	100'	Construction Plans	1936	
	G	60'	100'	Construction Plans	1936	Easement: Survey Record #6, p. 78
	H	60'	100'	Construction Plans	1936	Easement: Survey Record #6, p. 78
	I	60'	100'	Construction Plans	1936	additional 1973 Easements with Construction Plans
	J	60'	100'	Construction Plans	1936	
	K	60'	100'	Construction Plans	1936	var. at US 33 by ODOT R/W Plans (US 33)
192	- Trout Rd.	40'	60'	Comm. Journal #22, p. 343, 351, 355	1936	
193	A Kaiser Rd.	40'	60'	Gr. Rd. Rec. #4, p. 18-24	1882	
	B	40'	60'	Gr. Rd. Rec. #4, p. 18-24	1882	
	C	40'	60'	Road Book #2, p. 23	1851	
	D	40'	60'	Road Book #2, p. 23	1851	
	E	40'	60'	Road Book #2, p. 23	1851	Easement: Deed Book #43, p. 289 N part 60' & var. by 1974 Construction Plans
194	A Leeper - Perkins Rd.	40'	60'	Gr. Rd. Rec. #6, p. 102	1907	
	B	60'	60'	Construction Plans, Fence Notices	1957	
	C	60'	60'	Construction Plans, Fence Notices	1957	
	D	60'	60'	Resolution, Estimate, Construction Plans	1957	
	E	60'	60'	Resolution, Estimate, Construction Plans	1957	
	F	60'	60'	Comm. Journal #26, p. 54	1958	
	G	60'	60'	Comm. Journal #26, p. 54	1958	
195	- Bonnett Rd.	30'	60'	Road Book #2, p. 106	1859	
196	A Macklin Rd.	45'	60'	Comm. Journal #23, p. 294	1940	
	B	45'	60'	Comm. Journal #23, p. 294	1940	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width. Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
198	- Reed Rd.	50'	60'	referenced by S.R. #7, p. 314 and to Aud. Box 259	1880	
199	A Sandusky Rd.	60'	60'	Road Book #1, p. 10-13	1834	
	B	50'	60'	Comm. Journal #26, p. 214	1960	
	C	50'	60'	Comm. Journal #26, p. 214	1960	
	D	40'	60'	Estimate, Fence Notices, Construction Plans	1954	
	E	40'	60'	Estimate, Fence Notices, Construction Plans	1954	additional 1954 Easements at Bokes Creek
	F	40'	60'	Estimate, Fence Notices, Construction Plans	1954	
	G	40'	60'	Estimate, Fence Notices, Construction Plans	1954	
	H	40'	60'	Estimate	1957	
	I	60'	60'	Road Book #1, p. 10-13	1934	
200	A Bethlehem - Claibourne Rd.	50'	80'	Occupied	-	
	B	50'	80'	Occupied	-	
	C	50'	80'	Occupied	-	
	D	50'	80'	Gr. Rd. Rec. #2, p. 159	1881	Easement: Deed Book #246, p. 149, 219
201	A Gandy - Eddy Rd.	60'	60'	Road Book #1, p. 162-163	1841	
	B	40'	60'	Gr. Rd. Rec. #7, p. 185	1911	
204	- Moore Rd.	40'	60'	Gr. Rd. Rec. #8, p. 130	1917	
205	A Wheeler - Green Rd.	50'	80'	Estimate, Fence Notices	1953	
	B	50'	80'	Estimate, Fence Notices	1953	
	C	50'	80'	Estimate, Fence Notices	1953	
	D	50'	80'	Estimate, Fence Notices	1953	
	E	50'	80'	Unsigned Petition	-	Easement: D.B. #160, p. 401; S.R. #6, p. 273 50' referenced, occupied in support
	F	50'	80'	Unsigned Petition	-	50' referenced, occupied in support
207	- Brown School Rd.	40'	60'	Construction Plans	1939	
208	- McAdow Rd.	40'	60'	referenced by Field Book 518-A	-	
209	A Martin - Welch Rd.	40'	60'	Gr. Rd. Rec. #6, p. 384	1907	
	B	40'	60'	Gr. Rd. Rec. #6, p. 384	1907	
	C	50'	60'	Comm. Journal #26, p. 214	1960	
210	A Broadway Rd.	40'	60'	Gr. Rd. Rec. #7, p. 51	1910	
	B	66'	60'	Plat Book #2, p. 91	1865	Second Addition in 1875 by Plat Book #2, p. 153
212	- Spangler Rd.	40'	60'	Gr. Rd. Rec. #6, p. 407	1907	W end 50' by 1954 Easement, Construction Plans E end: 60' (old SR739) & 100' (extended to SR739)
213	A Ford - Reed Rd.	40'	60'	Road Book #2, p. 48	1853	Easement: Survey Record #6, p. 229 Easement: Deed Book #160, p. 321
	B	50' & 60'	60'	Construction Plans	1965	
	C	50'	60'	Construction Plans	1965	
	D	50'	60'	Construction Plans	1965	
	E	60'	60'	Signed Petition	1960	
	F	60'	60'	Signed Petition	1960	
	G	60'	60'	Signed Petition	1960	
	H	60'	60'	Signed Petition	1960	
	I	60'	60'	Signed Petition	1960	
214	A Harmon - Patrick Rd.	60'	60'	Estimate, Fence Notices	1958	
	B	60'	60'	Estimate, Fence Notices	1958	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width. Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
214	C Harmon - Patrick Rd.	60'	60'	Estimate, Fence Notices	1958	
	D	60'	60'	Estimate, Fence Notices	1958	
	E	50'	60'	Signed Petition	1963	
	F	40'	60'	Construction Plans	1933	
215	A Snyder Rd.	40'	60'	Comm. Journal #25, p. 384-A	1955	
	B	50'	60'	Signed Petition	1960	
216	- Titus Rd.	60'	60'	Comm. Journal #22, p. 61, 315	1936	Easement: Survey Record #6, p. 119-120
218	A Patrick - Brush Run Rd.	40'	60'	Gr. Rd. Rec. #7, p. 423	1912	ignore unsigned petition
	B	50'	60'	Signed Petition	-	
	C	40'	60'	Gr. Rd. Rec. #7, p. 398	1912	
	D	40'	60'	Gr. Rd. Rec. #7, p. 398	1912	
	E	40'	60'	Gr. Rd. Rec. #7, p. 398	1912	
	F	50'	60'	reference to 1974 petition	-	
	G	60'	60'	Road Book #1, p. 162-163	1842	
	H	60'	60'	Road Book #1, p. 162-163	1842	additional 1964 Easement
219	A Hoover - Bault Rd.	60'	60'	Signed Petition	1959	
	B	60'	60'	Signed Petition	1959	
	C	40'	60'	Gr. Rd. Rec. #7, p. 398	1912	
	D	40'	60'	Gr. Rd. Rec. #7, p. 398	1912	ignore unsigned petition Easement: Deed Book #160, p. 337
220	- Fox Rd.	40'	60'	Occupied	-	
221	A Barnett Rd.	40'	60'	reference to Aud. Box 189	1889	
	B	40'	60'	Occupied	-	
	C	40'	60'	Occupied	-	
222	A Yearsley Rd.	60'	80'	Comm. Journal #26, p. 357	1960	
	B	60'	80'	Comm. Journal #26, p. 357	1960	
	C	60'	80'	Comm. Journal #26, p. 357	1960	
	D	60'	80'	Comm. Journal #26, p. 357	1960	Easement: Deed Book #200, p. 229, 231
224	A Shirk Rd.	50'	60'	Comm. Journal #25, p. 384-A	1955	
	B	50'	60'	Comm. Journal #25, p. 384-A	1955	
	C	50'	60'	Signed Agreement	1955	
	D	50'	60'	Signed Agreement	1955	
	E	50'	60'	Signed Agreement	1955	
	F	50'	60'	Signed Agreement	1955	
225	- Herd - McIlroy Rd.	40'	60'	Comm. Journal #22, p. 595	1938	
229	B Rapp - Dean Rd.	50'	80'	Comm. Journal #25, p. 532	1957	additional 1957 Easement at CR 252
	C	50'	60'	Comm. Journal #25, p. 532	1957	Easement: Deed Book #331, p. 504-6 additional 1957 Easement at CR 252
	D	50'	60'	Comm. Journal #25, p. 532	1957	
233	A Evans Rd.	50'	60'	Road Book #2, p. 72	1855	
	B	50'	60'	Road Book #2, p. 72	1855	
	C	40'	60'	Comm. Journal #22, p. 331	1936	
	D	40'	60'	Comm. Journal #22, p. 331	1936	
236	A Cottonslash Rd.	50'	60'	referenced by Black Book	-	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width. Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
236	B Cottonslash Rd.	50'	60'	referenced by Black Book	-	N pt. 50' Occupied to match
237	- Wheeler Rd.	60'	60'	Road Book #1, p. 166-167	1841	
238	A Storms Rd.	50' & 60'	60'	Signed Petition, Construction Plans	1958	
	B	50'	60'	Signed Petition, Construction Plans	1958	
	C	50'	60'	Estimate, Fence Notices, Construction Plans	1958	
	D	50'	60'	Estimate, Fence Notices, Construction Plans	1958	
	E	40'	60'	Comm. Journal #26, p. 239, 422	1960	
	F	40'	60'	Comm. Journal #26, p. 239, 422	1960	
	G	40'	60'	Gr. Rd. Rec. #7, p. 195	1911	
239	A Cahill Rd.	30'	60'	reference to Aud. Box 142	1866	
	B	30'	60'	reference to Aud. Box 142	1866	
243	- Morse Rd.	50'	60'	Signed Petition	1963	
248	A Perkins Rd.	50'	60'	Estimate, Fence Notices, Construction Plans	1954	
	B	50'	60'	Estimate, Fence Notices, Construction Plans	1954	
249	A Coder - Holloway Rd.	50'	60'	Signed Petition	1963	
	B	50'	60'	Signed Petition	1963	
	C	40'	60'	Gr. Rd. Rec. #8, p. 40	1916	
	D	50'	60'	Signed Petition, Resolution	1969	
252	A Lunda Rd.	50'	80'	Signed Petition	1959	additional 1957 Easement at CR 229
	B	60'	80'	Comm. Journal #23, p. 36, 66, 265	1940	
	C	60'	80'	Comm. Journal #23, p. 36, 66, 265	1940	
	D	60'	80'	Comm. Journal #23, p. 36, 66, 265	1940	
	E	60'	80'	Comm. Journal #23, p. 36, 66, 265	1940	
	F	60'	80'	Comm. Journal #23, p. 36, 66, 265	1940	
253	- Rogers Rd.	var.	80'	Construction Plans	1989	
254	- Scherger Rd.	40'	60'	County Ledger reference to Black Book	-	
259	A Newton - Perkins Rd.	60'	60'	Road Book #1, p. 137	1839	
	B	60'	60'	Road Book #1, p. 137	1839	
	C	60'	60'	Road Book #1, p. 137	1839	
262	A Kinney Pike	50'	60'	Comm. Journal #25, p. 460	1956	
	B	50'	60'	Comm. Journal #25, p. 460	1956	Easement: Survey Record #7, p. 6-8
	C	50'	60'	Comm. Journal #25, p. 460	1956	
	D	50'	60'	Comm. Journal #25, p. 460	1956	
	E	50'	80'	Comm. Journal #23, p. 412, 457, 483	1942	
	F	50'	80'	Comm. Journal #23, p. 412, 457, 483	1942	Easement: D.B.#160,p.353-355;S.R.#6,p.232-233,235
	G	50'	80'	Comm. Journal #23, p. 412, 457, 483	1942	Easement: Survey Record #6, p. 232-233, 235
263	- Betty La.	60'	60'	Plat Book #4, p. 24	1972	
264	A Tawa Rd.	60'	60'	Comm. Journal #22, p. 408	1937	Easement: Survey Record #6, p. 156
	B	60'	60'	Comm. Journal #22, p. 408	1937	Easement: Deed Book #156, p. 170
265	A Hoskins	60'	80'	Comm. Journal #22, p. 102, 535	1938	Easement: Survey Record #6, p. 118, 171
	B	60'	80'	Comm. Journal #22, p. 102, 535	1938	Easement: D.B.#147,p.454; D.B.#157,p.54-55,64-65
266	- Sivey Rd.	40'	60'	Occupied	-	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width. Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
267	A Schofield Rd.	40'	60'	Road Book #2, p. 71	1855	
	B	40'	60'	Road Book #2, p. 71	1855	
	C	40'	60'	Road Book #2, p. 71	1855	
268	A Kirby Rd.	40'	60'	Road Book #2, p. 71	1855	
	B	40'	60'	Occupied	-	
269	A Woods Rd.	40'	60'	Road Book #2, p. 71	1855	var. at SR 47 by ODOT R/W Plans (SR 47)
	B	40'	60'	Estimate	1955	
272	A Graham - Jones Rd.	40'	60'	Occupied	-	
	B	40'	60'	Road Book #2, p. 272-273	1880	
274	A Mulvane Rd.	40'	60'	Road Book #2, p. 35 (for curves and W of curves)	1852	40' Minimum Occupied to match (E of curves)
	B	60'	60'	referenced by D.B.#160 p.400; S.R.#6 p.269	-	Easement: Survey Record #6, p. 269 Easement: Deed Book #160, p. 400
	C	60'	60'	Occupied to match	-	
275	A Hamilton Rd.	40'	60'	Occupied	-	
	B	40'	60'	Occupied	-	
	C	40'	60'	Occupied	-	
276	- Grove St.	60'	60'	Gr. Rd. Rec. #1, p. 75-76	1873	
277	A Snare Rd.	40'	60'	Road Book #3, p. 105-112	1893	
	B	40'	60'	Road Book #2, p. 64; Road Book #3, p. 89-96 (1892)	1855	50' Easements at curves (1959)
278	A Richwood - Miller Rd.	60'	60'	Comm. Journal #23, p. 77, 176	1939	Easement: Survey Record #6, p. 191 Easement: Deed Book #160, p. 101
	B	60'	60'	Comm. Journal #23, p. 77, 176	1939	
279	- Snediker Rd.	40'	60'	Road Book #2, p. 272-273	1880	
280	A Zook Rd.	50'	60'	Minimum Occupied	-	
	B	50'	60'	Signed Petition	1963	
	C	40'	60'	Occupied	-	
281	- Webb Rd.	33'	60'	Road Book #2, p. 47	1853	
282	A Grindell Rd.	40'	60'	Road Book #2, p. 110	1860	
	B	40'	60'	Road Book #2, p. 34	1852	
283	- Wallace Rd.	40'	60'	Road Book #2, p. 34	1852	ignore unsigned petition
284	- Alder Rd.	40'	60'	Road Book #2, p. 43	1852	assumed 40' also used for 1928 improvement
285	- Happy Lane	35'	60'	Road Book #2, p. 213-215	1875	1936 Construction Plans (N of Sta. 38+00)
286	A Boundary Rd.	40'	60'	Gr. Rd. Rec. #6, p. 26	1906	improved 40' by 1954 Construction Plans
	B	40'	60'	Gr. Rd. Rec. #6, p. 26	1906	improved 40' by 1954 Construction Plans
	C	40'	80'	Road Book #2, p. 205-206	1874	improved in 1916 & 1946
	D	40'	80'	Road Book #2, p. 205-206	1874	improved in 1916 & 1946
	E	40'	80'	Road Book #2, p. 205-206	1874	improved in 1916 & 1946
	F	40'	80'	Road Book #2, p. 205-206	1874	improved in 1916 & 1946
	G	40'	80'	Road Book #2, p. 205-206	1874	improved in 1916 & 1946
	H	40'	80'	Road Book #2, p. 205-206	1874	improved in 1916 & 1946
	I	40'	80'	Road Book #2, p. 205-206	1874	improved in 1916 & 1946
	J	40'	80'	Road Book #2, p. 205-206	1874	improved in 1916 & 1946
	K	40'	80'	Road Book #2, p. 53	1854	
	L	50'	80'	Road Book #2, p. 200-201	1874	1946 improvement used existing widths

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.

Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
286	M Boundary Rd.	60'	80'	Comm. Journal #22, p. 585	1938	
	N	60'	80'	Comm. Journal #22, p. 585	1938	
	O	60'	80'	Comm. Journal #22, p. 585	1938	
	P	60'	80'	Comm. Journal #22, p. 585	1938	
	Q	60'	80'	Comm. Journal #22, p. 585	1938	
287	A Forrider Rd.	50'	60'	Signed Petition	1964	
	B	50'	60'	Signed Petition	1964	
	C	50'	60'	Signed Petition	1964	
289	A Powder Lick Rd.	40'	60'	Gr. Rd. Rec. #7, p. 318	1911	
	B	40'	60'	Gr. Rd. Rec. #7, p. 318	1911	
291	A Fawley Rd.	50'	60'	Unsigned Petition	1966	reference to Signed Petition in Twp. File
	B	50'	60'	Unsigned Petition	1966	reference to Signed Petition in Twp. File
292	A January Rd.	50'	60'	Unsigned Petition, Estimate, Fence Notices	1957	
	B	50'	60'	Unsigned Petition, Estimate, Fence Notices	1957	
294	- Bitler Rd.	40'	60'	Gr. Rd. Rec. #7, p. 168	1911	ignore unsigned petition
296	- Meddles Rd.	40'	60'	Gr. Rd. Rec. #7, p. 109	1910	ignore unsigned petition
298	A McPeck Rd.	50'	60'	Gr. Rd. Rec. #2, p. 147	1880	
	B	50'	60'	Comm. Journal #26, p. 214	1960	
	C	50'	60'	Comm. Journal #26, p. 214	1960	
299	A Osbourne Rd.	40'	80'	Gr. Rd. Rec. #7, p. 139	1911	
	B	40'	80'	Gr. Rd. Rec. #7, p. 139	1911	
	C	40'	80'	Gr. Rd. Rec. #6, p. 7	1906	
	D	40'	60'	Gr. Rd. Rec. #6, p. 7	1906	
	E	40'	60'	Gr. Rd. Rec. #6, p. 7	1906	ignore unsigned petition
	F	40'	60'	Gr. Rd. Rec. #6, p. 7	1906	ignore unsigned petition
300	A McMahan Rd.	50'	60'	Signed Petition	1965	
	B	50'	60'	Signed Petition	1971	
	C	50'	60'	Signed Petition	1971	
301	A Davis Rd.	60'	60'	Comm. Journal #27, p. 499	1964	
	B	50'	60'	Construction Plans	1946	
	C	40'	80'	Estimate, Pole Notices, Construction Plans	1954	
	D	40'	80'	Estimate, Pole Notices, Construction Plans	1954	
	E	40'	80'	Estimate, Pole Notices, Construction Plans	1954	
303	- Benedict Rd.	40'	60'	Estimate, Fence Notices, Construction Plans	1954	
304	- Predmore Rd.	60'	60'	Road Book #1, p. 138, 250	1839	
307	A Miller Rd.	60'	60'	referenced by Field Book 518-B	-	
	B	60'	60'	Occupied to match	-	
	C	60'	60'	Road Book #1, p. 34-35	1835	
	D	60'	80'	Road Book #1, p. 34-35	1835	
	E	60'	80'	Road Book #1, p. 34-35	1835	
	F	60'	80'	Road Book #1, p. 34-35	1835	
	G	60'	80'	Road Book #1, p. 34-35	1835	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width. Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
307	H Miller Rd.	60'	80'	Road Book #1, p. 34-35	1835	
	I	60'	80'	Road Book #1, p. 34-35	1835	
	J	60'	80'	Road Book #1, p. 34-35	1835	
	K	60'	80'	Road Book #1, p. 34-35	1835	
308	A Phelps Rd.	50'	60'	Unsigned Petition	1971	reference to Signed Petition
	B	50'	60'	Unsigned Petition	1971	reference to Signed Petition
309	- Fleckinger Rd.	50'	60'	Unsigned Petition	1971	reference to Signed Petition
310	- Hoover - Moffitt Rd.	60'	60'	Comm. Journal #23, p. 72,73,84,88,92,102,104	1939	Easement: Deed Book #160, p. 114 var. at intersections by 1939 Construction Plans
311	A Treaty Line Rd.	60'	80'	Comm. Journal #22, p. 408, 560	1938	
	B	60'	80'	Comm. Journal #22, p. 408, 560	1938	
	C	60'	80'	Comm. Journal #22, p. 408, 560	1938	
	D	60'	80'	Comm. Journal #22, p. 408, 560	1938	Easement: Survey Record #6, p. 118 Easement: Deed Book #156, p. 533
	E	60'	80'	Comm. Journal #22, p. 408	1938	Easement: Survey Record #6, p. 118 Easement: Deed Book #156, p. 533
	F	60'	80'	Comm. Journal #22, p. 408	1938	
313	A Drake - Skidmore Rd.	40'	60'	Signed Petition	1954	
	B	40'	60'	Signed Petition	1954	
315	A Woodland Rd.	50'	60'	Comm. Journal #26, p. 173	1959	
	B	50'	60'	Comm. Journal #26, p. 173	1959	
	C	50'	60'	Comm. Journal #26, p. 173	1959	
316	A Huber - Hazen Rd.	40'	60'	Estimate, Fence Notices	1954	
	B	40'	60'	Estimate, Fence Notices	1958	
	C	40'	60'	Estimate	1958	
317	- Greenville Treaty Line Rd.	40'	60'	Road Book #2, p. 225-226	1876	
318	A Wasserbeck Rd.	60'	60'	Road Book #2, p. 31	1851	40' near SR 739 by Road Book #3, p. 49-55
	B	60'	60'	Road Book #2, p. 31	1851	
	C	60'	60'	Road Book #2, p. 31	1851	
320	- Roush Rd.	40'	60'	Signed Petition	1966	
321	- Zebold Rd.	40'	60'	Occupied	-	
322	A Sanders Rd.	40'	60'	referenced by Bridge Plans & Easements	-	Easement: Deed Book #241, p. 321, 390
	B	40'	60'	E part by Road Book #2, p. 251-252	1878	W part 40' Occupied to match
323	A Dutton - Love Rd.	40'	60'	Comm. Journal #18, p. 428	1917	66' at Essex by Plat Book #2, p. 12
	B	33'	60'	Road Book #2, p. 269-271	1880	
324	- Baldwin Rd.	40'	60'	Road Book #2, p. 7	1850	Easement: Survey Record #6, p. 121
325	- Swartz Rd.	40'	60'	Occupied	-	
326	A Prichard Rd.	33'	60'	Road Book #2, p. 241-242	1877	
	B	40'	60'	Comm. Journal #23, p. 120, 127, 144, 158	1939	
327	A Price - Mather	50'	60'	Comm. Journal #26, p. 209; Construction Plans	1962	pt. 50' Occupied to match Easement: Survey Record #7, p. 189
	B	50' & var.	60'	Comm. Journal #26, p. 209; Construction Plans	1960	var. at cemetery: 12' N, 18' S Easement: Survey Record #7, p. 189
328	A Reeley Rd.	33'	60'	E part by Road Book #2, p. 57	1855	W part 33' Occupied to match
	B	50'	60'	Comm. Journal #25, p. 470	1956	
	C	50'	60'	Comm. Journal #26, p. 209	1962	
329	- Longberry Rd.	40'	60'	Road Book #2, p. 129-130	1864	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.
Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
330	A Patterson Rd.	41.25'	60'	Road Book #2, p. 89	1857	
	B	40'	60'	Road Book #2, p. 129	1864	
	C	41.25'	60'	Road Book #2, p. 89	1857	40' at curves by Road Book #2, p. 220-222 (1875)
	D	40' & 50'	60'	Signed Agreement, Construction Plans	1954	additional 1954 Easements
332	A Fields Rd.	40'	60'	Road Book #2, p. 151	1868	Easement: D.B.#337,p.115;D.B.#339,p.353,745
	B	40'	60'	Comm. Journal #22 p. 312	1956	
333	- Carter Rd.	50'	60'	Comm. Journal #25, p. 358	1955	
336	A Winnemac Rd.	40'	80'	Estimate, Fence Notices	1958	
	B	40' & 60'	80'	Road Book #2, p. 183-184	1871	40' S of Rush Creek; 60' N of Rush Creek
	C	60'	80'	Comm. Journal #23, p. 53, 70, 116, 139	1939	
	D	60'	80'	Comm. Journal #23, p. 53, 70, 116, 139	1939	
	E	60'	80'	Comm. Journal #23, p. 53, 70, 116, 139	1939	
	F	60'	80'	Comm. Journal #23, p. 53, 70, 116, 139	1939	
337	A Fish - Daum Rd.	40'	60'	Road Book #2, p. 139-140	1867	
	B	40'	60'	Road Book #2, p. 139-140	1867	
	C	40'	60'	Road Book #2, p. 139-140	1867	
	D	40'	60'	Road Book #2, p. 139-140	1867	
	E	40'	60'	Road Book #2, p. 228-230	1876	
338	A Cobb - Harriman Rd.	40'	60'	Road Book #2, p. 43	1852	40' alterations in 1873 & 1876 by Road Book #2
	B	33'	60'	Road Book #2, p. 93	1858	
	C	50'	60'	Comm. Journal #25, p. 470	1956	
339	- Turner Rd.	40'	60'	Comm. Journal #26, p. 257	1960	Easement: Survey Record #6, p. 154-155
340	A Cunningham - Arbela Rd.	50'	60'	Signed Petition	1961	Easement: D.B. #152, p. 481; D.B. #155, p. 119
	B	50'	60'	Signed Petition	1961	60' at CR 342 by 1949 Bridge Plans
	C	50'	60'	Signed Petition	1961	70' W of Rush Cr. and 60' E of Rush Cr. part 60' and 70' by 1949 Bridge Plans
341	- McAdams Rd.	40'	60'	Road Book #2, p. 101-102	1859	part 60' & var. by 1964 ODOT R/W Plans (SR 739) ignore unsigned petition
342	A Shertzer Rd.	40'	60'	Estimate	1952	60' at CR 340 by 1949 Bridge Plans for CR 340
	B	30'	60'	Road Book #2, p. 60	1854	60' at CR 340 by 1949 Bridge Plans for CR 340
	C	30'	60'	Road Book #2, p. 60	1854	
343	A Yoakum Rd.	50'	60'	Unsigned Petition, Fence Notices	1965	reference to original petition
	B	50'	60'	Unsigned Petition, Fence Notices	1965	reference to original petition
	C	40'	60'	Estimate	1957	
	D	40'	60'	Estimate	1957	
	E	40'	60'	Estimate, Fence Notices	1956	
	F	40'	60'	Estimate, Fence Notices	1956	
344	A Lingrell Rd.	50'	60'	Comm. Journal #22, p. 312	1936	
	B	50'	60'	Comm. Journal #22, p. 312	1936	
	C	50'	60'	Comm. Journal #22, p. 312	1936	
345	- Middlesworth Rd.	30'	60'	Road Book #2, p. 165-166	1871	Easement: Survey Record #6, p. 184
346	A Wellwood Rd.	50'	60'	Comm. Journal #22, p. 312	1936	
	B	50'	60'	Comm. Journal #22, p. 312	1936	
347	- County Road 347	60'	60'	ODOT R/W Plans (SR 347) [714]	1938	E end var. by 1993 ODOT R/W Plans (SR 347)

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.
Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width

ROAD#	SEC NAME	R/W	Plan**	SUPPORT	DATE	NOTES
348	- Heenan Rd.	40'	60'	Occupied	-	
349	- Stevenson Rd.	40'	60'	Occupied	-	
351	A West Mansfield - Mt. Victory Rd.	60'	60'	Comm. Journal #23, p. 439	1942	
	B	60'	60'	Comm. Journal #23, p. 439	1942	
	C	60'	60'	Comm. Journal #23, p. 439	1942	Easement: Deed Book #160, p. 338-339
	D	60'	60'	Comm. Journal #23, p. 439	1942	
	E	60'	60'	Road Book #2, p. 32	1851	
	F	60'	60'	Road Book #2, p. 32	1851	
352	A Rushsylvania Rd.	40'	60'	Gr. Rd. Rec. #6, p. 151, 168	1907	
	B	50'	60'	Comm. Journal #25, p. 384-B	1955	
	C	50'	60'	Comm. Journal #25, p. 384-B	1955	
353	- Logan County Line Rd.	40'	60'	to match Logan County R/W	-	
354	- Hartley Rd.	40'	60'	Occupied	-	
355	- Landon Rd.	30'	60'	Gr. Rd. Rec. #1, p. 135	1876	
356	- Burbaugh Rd.	40'	60'	Comm. Journal #18, p. 385, 387	1917	
536	- Jacobs La.	50'	60'	Comm. Journal #26, p. 173	1959	part var. by ODOT R/W Plans (US 33)
537	- Smith Pl.	40'	60'	Comm. Journal #22, p. 331	1936	

* Where "Occupied" is listed for "SUPPORT", the width shown is the apparent width as physically occupied by the roadway. This occupied width is used with those roads for which no documentation was found to support a legal right-of-way width.

Note, however, that 22 Ohio Laws 305 from 1824 can be used as a basis that all county roads are 60' unless there exists documentation to the contrary.

* These records were compiled based on an exhaustive research of records and laws affecting road rights-of-way. The rights-of-way were determined using the best information available and are subject to any previously or subsequently recorded road easement or right-of-way.

** Planned Future Minimum Right-of-Way Width