


[illegible]

1½ miles of 4", 6" and 8" water pipe. 18 double hydrants. Average daily consumption 150,000 gallons. Domestic pressure 30 lbs. Fire pressure 100 lbs.


INDEX

INDEX

STREETS			SHEET	SHEET			SHEET			SHEET		
Brown, B	200-259	1	Pleasant, N., " S., " " "	100-110 #1 101-111 #2 102-518 #1 101-129 #2 131-249 #3 250-269 3	U. S. Route No. 36: (N. Mill), (S. Mill), " "	100-149 2 150-217 1 100-135 2 200-359 3	Methodist Church, Milford Center Lumber & Supply Co.	1	M			
Center, E., C	100-130 #2 101-129 #3 200-311 1 " W., (100-125) 3 " " " " (100-225) #2 " " " " 101-223 #3 " " " " 225-536 3 Commercial, F	100-239 1	Railroad, Reed, " "	100-139 3 200-249 2 100-159 1	West, N., " S.,	100-111 3 100-129 3	Post Office	3	P			
First, L	100-139 3		Second, Short, State, E., " S., " " " "	100-137 3 200-239 1 100-120 2 200-389 1 100-229 2 200-611 3	Church of Christ in Christian Union, First Department No. 1, First Christian Church, " "	100-149 2 150-217 1 100-135 2 200-359 3	Sacred Heart R. C. Church, Stokely-Van Camp, Inc., Corn Can- ning,	2 1	S			
London, N., L	100-110 #2 101-111 #3 100-130 #2 101-129 #3		Route No. 4: (N. Mill), (S. Mill), " "	100-149 2 150-217 1 100-135 2 200-359 3	Jail,	2	Union Light and Water Co., Pumping Station, " Rural Public School,	2 1	T			
Mill, N., M	100-149 2 150-219 1 100-130 2 200-359 3						Village Hall,	2	U			

* Indicates only one side of Street shown.


No Fire Limits. No Fire-resistive Roofing Ordinance.




© Cl F


792 (

III 26 1946



Division of Maps
MAR 30 1947
Library of Congress





3

CREEK BEYOND

LOW LAND

FURNACE & GRAIN STGE.


LOW LAND

N. EXPOSURE

LOW LAND

MILFORD CENTER, OHIO
MAR. 1946

3



TERRITORY SHOWN ON THIS SECTION OF
SHEET OUTSIDE OF CORPORATE LIMITS

SCALE 100 FT TO ONE INCH
Copyright 1946 by the Sanborn Map Co.

JUL 26 1946